

















**TABLE OF CONTENTS**

CATWALK_LOWER .....	1	US_TRUSS .....	7
3RD ELEC .....	2	SR_ANTIPRO .....	7
DS_TRUSS .....	3	SL_ANTIPRO .....	7
CATWALK_UPPER .....	4	4TH ELEC .....	8
2ND ELEC .....	5	SL_Tree .....	8
1ST ELEC .....	6	SR_Tree .....	8
		US_Floor .....	8


















**CATWALK\_LOWER**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	XR>B	ETC Source4 Zoom 25-50deg	575w	 R04	(2)	37	
2	XR>G	ETC Source4 Zoom 15-30deg	575w	 R04	(7)	36	
3	XR>SP1	ETC Source4 Zoom 25-50deg	575w	 R04	(21)	33	
4	XR>C	ETC Source4 Zoom 25-50deg	575w	 R04	(3)	32	
5	XR>H	ETC Source4 Zoom 25-50deg	575w	 R04	(8)	29	
6	XR>SP2	ETC Source4 Zoom 15-30deg	575w	 R04	(22)	28	
7	XL>B	ETC Source4 Zoom 25-50deg	575w	 R363	(32)	25	
8	XL>G	ETC Source4 Zoom 15-30deg	575w	 R363	(37)	24	
9	XL>SP1	ETC Source4 Zoom 25-50deg	575w	 R363	(51)	21	
10	XR>D	ETC Source4 Zoom 25-50deg	575w	 R04	(4)	20	
11	XR>I	ETC Source4 Zoom 15-30deg	575w	 R04	(9)	18	
12	XL>H	ETC Source4 Zoom 15-30deg	575w	 R363	(38)	16	
13	XL>C	ETC Source4 Zoom 25-50deg	575w	 R363	(33)	15	
14	XL>SP2	ETC Source4 Zoom 25-50deg	575w	 R363	(52)	12	
15	XL>I	ETC Source4 Zoom 15-30deg	575w	 R363	(39)	9	
16	XL>D	ETC Source4 Zoom 25-50deg	575w	 R363	(34)	8	





















**3RD ELEC**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	BK>SP4	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(114)	157	
2	DN>SP8	ETC Source4 PARNel	575w	<input type="radio"/> N/C	(88)	158	
3	SR_WALL	Source 4 50deg	575w	<input type="radio"/> N/C	(Na)		
4	BK>SP5	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(115)	160	
5	TEMP_3>SP6	Source 4 50deg	575w	<input type="radio"/> N/C	(Na)		
6	DN>SP9	ETC Source4 PARNel	575w	<input type="radio"/> N/C	(89)	162	
7	BK>SP6	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(116)	150	
8	TOP_WALL	Source 4 50deg	575w	<input type="radio"/> N/C	(Na)		
9	TEMP_3>SP6	Source 4 50deg	575w	<input type="radio"/> N/C	(Na)		
10	SL_WALL	Source 4 50deg	575w	<input type="radio"/> N/C	(Na)		
11	DN>SP10	ETC Source4 PARNel	575w	<input type="radio"/> N/C	(90)	145	

**DS\_TRUSS**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	DN>A	ETC Source4 PARNel	575w	 N/C	(61)	67	
2	XR>SP4	Source 4 50deg	575w	 R04	(24)	50	
3	SEP>SP5	Source 4 50deg	575w	 R99	(127)	49	
4	SEP>J	Source 4 50deg	575w	 R99	(129)	46	
5	DN>B	ETC Source4 PARNel	575w	 N/C	(62)	70	
6	XL>SP7	Source 4 36deg	575w	 R363	(57)	71	
7	XR>SP9	Source 4 36deg	575w	 R04	(28)	74	
8	XL>SP4	Source 4 50deg	575w	 R363	(54)	48	
9	DN>C	ETC Source4 PARNel	575w	 N/C	(63)	78	
10	XR>SP3	Source 4 50deg	575w	 R04	(23)	58	
11	XR>SP10	Source 4 36deg	575w	 R04	(29)	76	
12	XL>SP9	Source 4 36deg	575w	 R363	(58)	77	
13	DN>D	ETC Source4 PARNel	575w	 N/C	(64)	81	
14	SEP>SP6	Source 4 50deg	575w	 R99	(128)	60	
15	SEP>K	Source 4 50deg	575w	 R99	(130)	61	
16	XL>SP3	Source 4 50deg	575w	 R363	(53)	59	
17	DN>E	ETC Source4 PARNel	575w	 N/C	(65)	82	





















## CATWALK\_UPPER

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	TEMP_1	Source 4 36deg	575w	 R324, T: Apollo 2184-BR	(131)	42	
2	XR>A	Source 4 26deg	575w	 R04	(1)	41	
3	XR>F	Source 4 26deg	575w	 R04	(6)	40	
4	XL>A	Source 4 26deg	575w	 R363	(31)	39	
5	XL>F	Source 4 26deg	575w	 R363	(36)	38	
6	SEP>SP1	Source 4 36deg	575w	 R99	(121)	35	
7	XR>SP5	Source 4 26deg	575w	 R04	(25)	34	
8	TEMP_1	Source 4 36deg	575w	 R324, T: Apollo 2184-BR	(132)	31	
9	SEP>G	Source 4 26deg	575w	 R99	(124)	30	
10	SEP>C	Source 4 36deg	575w	 R99	(122)	27	
11	SEP>H	Source 4 26deg	575w	 R99	(125)	26	
12	XL>SP5	Source 4 26deg	575w	 R363	(55)	23	
13	XR>SP6	Source 4 26deg	575w	 R04	(26)	22	
14	SEP>SP2	Source 4 36deg	575w	 R99	(123)	19	
15	SEP>I	Source 4 26deg	575w	 R99	(126)	17	
16	TEMP_2	Source 4 36deg	575w	 R375, T:Rosco Breakup (Small)	(141)	14	
17	XL>SP6	Source 4 26deg	575w	 R363	(56)	13	
18	XR>E	Source 4 26deg	575w	 R04	(5)	11	
19	XL>E	Source 4 26deg	575w	 R363	(35)	10	
20	TEMP_2	Source 4 36deg	575w	 R375, T:Rosco Breakup (Small)	(142)	7	












**2ND ELEC**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	BK>F	Source 4 36deg	575w	 R51	(96)	133	
2	BK>G	Source 4 36deg	575w	 R51	(97)	134	
3	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(207)	603	
4	DN>SP7	ETC Source4 PARNel	575w	 N/C	(87)	135	
5	BK>SP1	Source 4 36deg	575w	 R51	(111)	136	
6	DN>J	ETC Source4 PARNel	575w	 N/C	(70)	137	
7	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(208)	618	
8	BK>H	Source 4 36deg	575w	 R51	(98)	120	
9	BK>SP2	Source 4 36deg	575w	 R51	(112)	118	
10	DN>K	ETC Source4 PARNel	575w	 N/C	(71)	117	
11	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(209)	633	
12	BK>I	Source 4 36deg	575w	 R51	(99)	116	
13	BK>SP3	Source 4 36deg	575w	 R51	(113)	115	



**1ST ELEC**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	TEMP_1	Source 4 36deg	575w	 R324, T: Apollo 2184-BR	(135)	97	
2	BK>A	Source 4 36deg	575w	 R51	(91)	91	
3	DN>F	ETC Source4 PARNel	575w	 N/C	(66)	92	
4	TEMP_1	Source 4 36deg	575w	 R324, T: Apollo 2184-BR	(136)	93	
5	DN>SP4	ETC Source4 PARNel	575w	 N/C	(84)	94	
6	BK>B	Source 4 36deg	575w	 R51	(92)	95	
7	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(204)	558	
8	DN>G	ETC Source4 PARNel	575w	 N/C	(67)	96	
9	DN>SP5	ETC Source4 PARNel	575w	 N/C	(85)	98	
10	DN>H	ETC Source4 PARNel	575w	 N/C	(68)	99	
11	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(205)	573	
12	DN>SP6	ETC Source4 PARNel	575w	 N/C	(86)	100	
13	BK>C	Source 4 36deg	575w	 R51	(93)	101	
14	BK>D	Source 4 36deg	575w	 R51	(94)	102	
15	DN>I	ETC Source4 PARNel	575w	 N/C	(69)	89	
16	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(206)	588	
17	DN>SP3	ETC Source4 PARNel	575w	 N/C	(83)	88	
18	TEMP_2	Source 4 36deg	575w	 R375, T:Rosco Breakup (Small)	(145)	87	
19	BK>E	Source 4 36deg	575w	 R51	(95)	86	
20	TEMP_2	Source 4 36deg	575w	 R375, T:Rosco Breakup (Small)	(146)	85	



**US\_TRUSS**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	XR>SP7	Source 4 36deg	575w	 R04	(27)	68	
2	XR>J	Source 4 36deg	575w	 R04	(10)	69	
3	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(201)	513	
4	DN>SP1	ETC Source4 PARNel	575w	 N/C	(81)	72	
5	XR>K	Source 4 36deg	575w	 R04	(11)	75	
6	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(202)	528	
7	XL>J	Source 4 36deg	575w	 R363	(40)	84	
8	DN>SP2	ETC Source4 PARNel	575w	 N/C	(82)	83	
9	LED WASH	Chauvet SlimPar Pro Tri	100w	 N/A	(203)	543	
10	XL>K	Source 4 36deg	575w	 R363	(41)	80	
11	XL>SP10	Source 4 36deg	575w	 R363	(59)	79	

**SR\_ANTIPRO**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	TEMP_1	Source 4 36deg	575w	 R324, T: Apollo 2184-BR	(133)	43	
2	TEMP_1	Source 4 26deg	575w	 R324, T: Apollo 2184-BR	(134)	44	

**SL\_ANTIPRO**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	TEMP_2	Source 4 36deg	575w	 R375, T:Rosco Breakup (Small)	(143)	55	
2	TEMP_2	Source 4 26deg	575w	 R375, T:Rosco Breakup (Small)	(144)	56	



**4TH ELEC**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1	BK>SP7	Source 4 36deg	575w	<input checked="" type="radio"/> R51	(117)	187	
2	BK>SP8	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(118)	189	
3	BK>J	Source 4 36deg	575w	<input checked="" type="radio"/> R51	(100)	191	
4	BK>SP9	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(119)	192	
5	BK>K	Source 4 36deg	575w	<input checked="" type="radio"/> R51	(101)	188	
6	BK>SP10	Source 4 50deg	575w	<input checked="" type="radio"/> R51	(120)	190	

**SL\_Tree**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1		Zoom Par 575		<input type="radio"/> N/A	(223)	712	
2		Zoom Par 575		<input type="radio"/> N/A	(225)	722	
3		Zoom Par 575		<input type="radio"/> N/A	(221)	752	

**SR\_Tree**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1		Zoom Par 575		<input type="radio"/> N/A	(224)	742	
2		Zoom Par 575		<input type="radio"/> N/A	(222)	732	

**US\_Floor**

U#	Purpose	Instrument Type & Accessory	Load	Color & Gobo	Chan	Adr	Dm
1					(304)	772	
2					(305)	787	
3					(306)	802	