















Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/7	(146)	Catwalk Lower	1	Source 4 26deg 575w	TMP2	 R66
1/8	(141)	Catwalk Upper	4	Source 4 36deg 575w	TMP2	 R66
1/9	(142)	Catwalk Upper	2	Source 4 36deg 575w	TMP2	 R66
1/10	(145)	Catwalk Upper	1	Source 4 26deg 575w	TMP2	 R66
1/11	(25)	Catwalk Lower	2	ETC Source4 Zoom 25-50deg 575w	XL>	 R65, T: Geometric Breakup
1/12	(143)	Catwalk Lower	3	Source 4 36deg 575w	TMP2	 R66
1/13	(5)	Catwalk Lower	4	ETC Source4 Zoom 25-50deg 575w	XR>	 R02
1/14	(34)	Catwalk Lower	5	ETC Source4 Zoom 15-30deg 575w	XL>	 R65, T: Geometric Breakup
1/15	(24)	Catwalk Lower	6	ETC Source4 Zoom 25-50deg 575w	XL>	 R65, T: Geometric Breakup
1/16	(28)	Catwalk Upper	3	Source 4 26deg 575w	XL>	 R65, T: Geometric Breakup
1/17	(192)	Catwalk Lower	8	Source 4 36deg 575w	XL>	 R65, T: Geometric Breakup
1/18	(33)	Catwalk Lower	7	ETC Source4 Zoom 15-30deg 575w	XL>	 R65, T: Geometric Breakup
1/19	(4)	Catwalk Lower	9	ETC Source4 Zoom 25-50deg 575w	XR>	 R02
1/20	(144)	Catwalk Upper	5	Source 4 26deg 575w	TMP2	 R66

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/21	(8)	Catwalk Upper	6	Source 4 26deg 575w	XR>	 R02
1/22	(32)	Catwalk Lower	10	ETC Source4 Zoom 15-30deg 575w	XL>	 R65, T: Geometric Breakup
1/23	(27)	Catwalk Upper	7	Source 4 26deg 575w	XL>	 R65, T: Geometric Breakup
1/24	(23)	Catwalk Lower	11	ETC Source4 Zoom 25-50deg 575w	XL>	 R65, T: Geometric Breakup
1/25	(7)	Catwalk Upper	8	Source 4 26deg 575w	XR>	 R02
1/26	(3)	Catwalk Lower	12	ETC Source4 Zoom 25-50deg 575w	XR>	 R02
1/27	(14)	Catwalk Lower	13	ETC Source4 Zoom 15-30deg 575w	XR>	 R02
1/28	(26)	Catwalk Upper	9	Source 4 26deg 575w	XL>	 R65, T: Geometric Breakup
1/29	(123)	Catwalk Upper	10	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/30	(22)	Catwalk Lower	14	ETC Source4 Zoom 25-50deg 575w	XL>	 R65, T: Geometric Breakup
1/31	(191)	Catwalk Lower	15	Source 4 36deg 575w	XR>	 R02
1/32	(126)	Catwalk Upper	11	Source 4 26deg 575w	TMP1	 R13, T: Nebulous Breakup
1/33	(125)	Catwalk Upper	12	Source 4 26deg 575w	TMP1	 R13, T: Nebulous Breakup

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/34	(122)	Catwalk Upper	13	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/35	(2)	Catwalk Lower	17	ETC Source4 Zoom 25-50deg 575w	XR>	 R02
1/36	(6)	Catwalk Upper	14	Source 4 26deg 575w	XR>	 R02
1/37	(21)	Catwalk Lower	19	ETC Source4 Zoom 25-50deg 575w	XL>	 R65, T: Geometric Breakup
1/38	(124)	Catwalk Upper	15	Source 4 26deg 575w	TMP1	 R13, T: Nebulous Breakup
1/39	(121)	Catwalk Lower	20	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/40	(1)	Catwalk Lower	21	ETC Source4 Zoom 25-50deg 575w	XR>	 R02
1/41	(13)	Catwalk Lower	16	ETC Source4 Zoom 15-30deg 575w	XR>	 R02
1/42	(12)	Catwalk Lower	18	ETC Source4 Zoom 15-30deg 575w	XR>	 R02
1/67	(127)	DS_TRUSS	11	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/68	(195)	DS_TRUSS	10	ETC Source4 26deg+Light Acc C Clamp 575w	SR_Phone	 N/C
1/69	(9)	US_TRUSS	11	Source 4 36deg 575w	XR>	 R02
1/70	(128)	US_TRUSS	10	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/71	(29)	US_TRUSS	9	Source 4 36deg 575w	XL>	 R65, T: Geometric Breakup

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/72	(30)	US_TRUSS	5	Source 4 36deg 575w	XL>	 R65, T: Geometric Breakup
1/73	(Cya)	DS_TRUSS	8	ETC Source4 26deg+Light Acc C Clamp 575w	CYA	 N/C
1/74	(147)	US_TRUSS	6	Source 4 36deg 575w	TMP2	 R66
1/75	(10)	US_TRUSS	8	Source 4 36deg 575w	XR>	 R02
1/76	(Cya)	DS_TRUSS	7	ETC Source4 26deg+Light Acc C Clamp 575w	CYA	 N/C
1/77	(129)	US_TRUSS	7	Source 4 36deg 575w	TMP1	 R13, T: Nebulous Breakup
1/78	(Cya)	DS_TRUSS	5	ETC Source4 26deg+Light Acc C Clamp 575w	CYA	 N/C
1/79	(31)	US_TRUSS	2	Source 4 36deg 575w	XL>	 R65, T: Geometric Breakup
1/80	(196)	DS_TRUSS	2	ETC Source4 26deg+Light Acc C Clamp 575w	SL_Ph one	 N/C
1/81	(148)	US_TRUSS	3	Source 4 36deg 575w	TMP2	 R66
1/82	(11)	US_TRUSS	4	Source 4 36deg 575w	XR>	 R02
1/83	(Cya)	DS_TRUSS	4	ETC Source4 26deg+Light Acc C Clamp 575w	CYA	 N/C
1/84	(149)	DS_TRUSS	1	Source 4 36deg 575w	TMP2	 R66
1/85	(151)	LX 1	2	ETC Source4 50deg+Light Acc C Clamp 575w	TMP2	 R66
1/86	(37)	LX 1	3	Source 4 36deg+Light Acc C Clamp 575w	XL>	 R65, T: Geometric Breakup
1/87	(152)	LX 1	1	ETC Source4 50deg+Light Acc C Clamp 575w	TMP2	 R66
1/88	(17)	LX 1	5	Source 4 36deg+Light Acc C Clamp 575w	XR>	 R02

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/89	(173)	LX 1	6	ETC Source4 50deg+Light Acc C Clamp 575w	Brutalist Pattern 2	<input type="radio"/> N/C
1/90	(36)	LX 1	7	Source 4 36deg+Light Acc C Clamp 575w	XL>	<input checked="" type="radio"/> R65, T: Geometric Breakup
1/91	(Cya)	LX 1	15	ETC Source4 50deg+Light Acc C Clamp 575w	CYA	<input type="radio"/> N/C
1/92	(15)	LX 1	13	Source 4 36deg+Light Acc C Clamp 575w	XR>	<input checked="" type="radio"/> R02
1/93	(35)	LX 1	12	ETC Source4 50deg+Light Acc C Clamp 575w	XL>	<input checked="" type="radio"/> R65, T: Geometric Breakup
1/94	(16)	LX 1	11	Source 4 36deg+Light Acc C Clamp 575w	XR>	<input checked="" type="radio"/> R02
1/95	(132)	LX 1	10	ETC Source4 50deg+Light Acc C Clamp 575w	TMP1	<input checked="" type="radio"/> R13, T: Nebulous Breakup
1/96	(150)	LX 1	8	ETC Source4 50deg+Light Acc C Clamp 575w	TMP2	<input checked="" type="radio"/> R66
1/109	(130)	LX 1	19	ETC Source4 50deg+Light Acc C Clamp 575w	TMP1	<input checked="" type="radio"/> R13, T: Nebulous Breakup
1/110	(162)	LX 1	18	ETC Source4 26deg+Light Acc C Clamp 575w	Brutalist Pattern	<input type="radio"/> N/C
1/111	(171)	LX 1	17	ETC Source4 50deg+Light Acc C Clamp 575w	Brutalist Pattern 2	<input type="radio"/> N/C
1/113	(Cya)	LX 1	16	Source 4 36deg+Light Acc C Clamp 575w	CYA	<input type="radio"/> N/C
1/115	(214)	LX 2	1	ETC Source4 PARNel 575w	Portal	<input type="radio"/> N/C
1/117	(Cya)	LX 2	2	ETC Source4 50deg+Light Acc C Clamp 575w	CYA	<input type="radio"/> N/C
1/118	(176)	LX 2	3	ETC Source4 50deg+Light Acc C Clamp 575w	BP2	<input type="radio"/> N/C
1/119	(172)	LX 2	5	ETC Source4 50deg+Light Acc C Clamp 575w	BP2	<input type="radio"/> N/C

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/120	(173)	LX 2	4	ETC Source4 50deg+Light Acc C Clamp 575w	CYA	<input type="radio"/> N/C
1/121	(213)	LX 2	9	ETC Source4 PARNeI 575w	Portal	<input type="radio"/> N/C
1/122	(163)	LX 2	10	ETC Source4 26deg+Light Acc C Clamp 575w	Brutalist Pattern	<input type="radio"/> N/C
1/124	(174)	LX 2	8	ETC Source4 50deg+Light Acc C Clamp 575w	BP2	<input type="radio"/> N/C
1/125	(171)	LX 2	7	ETC Source4 50deg+Light Acc C Clamp 575w	BP2	<input type="radio"/> N/C
1/126	(175)	LX 2	6	ETC Source4 50deg+Light Acc C Clamp 575w	BP2	<input type="radio"/> N/C
1/157	(164)	LX 3	7	ETC Source4 26deg+Light Acc C Clamp 575w	Brutalist Pattern	<input type="radio"/> N/C
1/158	(177)	LX 3	6	ETC Source4 50deg+Light Acc C Clamp 575w	Brutalist Pattern 2	<input type="radio"/> N/C
1/161	(179)	LX 3	2	ETC Source4 50deg+Light Acc C Clamp 575w	Brutalist Pattern 2	<input type="radio"/> N/C
1/162	(178)	LX 3	4	ETC Source4 50deg+Light Acc C Clamp 575w	Brutalist Pattern 2	<input type="radio"/> N/C
1/169	(165)	LX 3B	6	ETC Source4 26deg+Light Acc C Clamp 575w	Brutalist Pattern	<input type="radio"/> N/C
1/173	(215)	LX 3B	5	ETC Source4 PARNeI 575w	Portal	<input type="radio"/> N/C
1/174	(216)	LX 3B	1	ETC Source4 PARNeI 575w	Portal	<input type="radio"/> N/C
1/199	(184)	LX 4	6	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C
1/200	(181)	LX 4	5	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C
1/201	(186)	LX 4	2	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C
1/202	(183)	LX 4	1	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C
1/203	(185)	LX 4	4	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C

Address	Chan	Position	U#	Instrument Type & Accessory & Load	Purp	Clr & Gbo
1/204	(182)	LX 4	3	ETC Source4 50deg+Light Acc C Clamp 575w	T Back Light	<input type="radio"/> N/C
1/401	(221)			USITT PAR LED 90w		<input type="radio"/> LED
1/421	(222)			USITT PAR LED 90w		<input type="radio"/> LED
1/441	(223)			USITT PAR LED 90w		<input type="radio"/> LED
2/1	(101)	DS_TRUSS	9	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/13	(102)	DS_TRUSS	6	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/25	(103)	DS_TRUSS	3	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/37	(104)	LX 1	14	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/49	(105)	LX 1	9	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/61	(106)	LX 1	4	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/73	(107)	LX 3	5	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/85	(108)	LX 3	3	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/97	(109)	LX 3	1	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/109	(110)	LX 3B	4	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/121	(111)	LX 3B	3	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED
2/133	(112)	LX 3B	2	Chauvet DJ SlimPAR Pro H USB 99w	LED	<input type="radio"/> LED