












TABLE OF CONTENTS

US_TRUSS	1	LX 4	5
LX 2	2	LX 3B	6
DS_TRUSS	3	LX 3	6
Catwalk Lower	4	LX 1	7
		Catwalk Upper	8

US_TRUSS

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1		Altman Sky Cyc 4 Cell	4kW	 R124	(201)		
1		Altman Sky Cyc 4 Cell	4kW	 R124	(201)		
1		Altman Sky Cyc 4 Cell	4kW	 R124	(201)		
1		Altman Sky Cyc 4 Cell	4kW	 R124	(201)		
1		Altman Sky Cyc 4 Cell	4kW	 R124	(201)		
1	Portal	Source 4 PARnel	575w	 N/C	(212)		
<hr/>							
2		Altman Sky Cyc 4 Cell	4kW	 R126	(202)		
2		Altman Sky Cyc 4 Cell	4kW	 R126	(202)		
2		Altman Sky Cyc 4 Cell	4kW	 R126	(202)		
2		Altman Sky Cyc 4 Cell	4kW	 R126	(202)		
2		Altman Sky Cyc 4 Cell	4kW	 R126	(202)		
2	XL>	Source 4 36deg	575w	 R65, T: Geometric Breakup	(31)	1/79	
<hr/>							
3		Altman Sky Cyc 4 Cell	4kW	 R125	(203)		
3		Altman Sky Cyc 4 Cell	4kW	 R125	(203)		
3		Altman Sky Cyc 4 Cell	4kW	 R125	(203)		
3		Altman Sky Cyc 4 Cell	4kW	 R125	(203)		
3		Altman Sky Cyc 4 Cell	4kW	 R125	(203)		
3	TMP2	Source 4 36deg	575w	 R66	(148)	1/81	
<hr/>							
4		Altman Sky Cyc 4 Cell	4kW	 CYC	(Na)		
4		Altman Sky Cyc 4 Cell	4kW	 CYC	(Na)		
4		Altman Sky Cyc 4 Cell	4kW	 CYC	(Na)		
4		Altman Sky Cyc 4 Cell	4kW	 CYC	(Na)		
4		Altman Sky Cyc 4 Cell	4kW	 CYC	(Na)		
4	XR>	Source 4 36deg	575w	 R02	(11)	1/82	
<hr/>							
5	XL>	Source 4 36deg	575w	 R65, T: Geometric Breakup	(30)	1/72	












US_TRUSS

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
6	TMP2	Source 4 36deg	575w	 R66	(147)	1/74	
7	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(129)	1/77	
8	XR>	Source 4 36deg	575w	 R02	(10)	1/75	
9	XL>	Source 4 36deg	575w	 R65, T: Geometric Breakup	(29)	1/71	
10	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(128)	1/70	
11	XR>	Source 4 36deg	575w	 R02	(9)	1/69	
12	Brutalist Pattern	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(161)		
13	Portal	ETC Source4 PARNel	575w	 N/C	(211)		





LX 2

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Portal	ETC Source4 PARNel	575w	 N/C	(214)	1/115	
2	CYA	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/117	
3	BP2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(176)	1/118	
4	CYA	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(173)	1/120	
5	BP2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(172)	1/119	
6	BP2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(175)	1/126	
7	BP2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(171)	1/125	
8	BP2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(174)	1/124	
9	Portal	ETC Source4 PARNel	575w	 N/C	(213)	1/121	
10	Brutalist Pattern	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(163)	1/122	




DS_TRUSS

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	TMP2	Source 4 36deg	575w	 R66	(149)	1/84	
2	SL_Phone	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(196)	1/80	
3	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(103)	2/25	
4	CYA	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/83	
5	CYA	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/78	
6	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(102)	2/13	
7	CYA	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/76	
8	CYA	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/73	
9	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(101)	2/1	
10	SR_Phone	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(195)	1/68	
11	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(127)	1/67	







Catwalk Lower

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	TMP2	Source 4 26deg	575w	 R66	(146)	1/7	
2	XL>	ETC Source4 Zoom 25-50deg	575w	 R65, T: Geometric Breakup	(25)	1/11	
3	TMP2	Source 4 36deg	575w	 R66	(143)	1/12	
4	XR>	ETC Source4 Zoom 25-50deg	575w	 R02	(5)	1/13	
5	XL>	ETC Source4 Zoom 15-30deg	575w	 R65, T: Geometric Breakup	(34)	1/14	
6	XL>	ETC Source4 Zoom 25-50deg	575w	 R65, T: Geometric Breakup	(24)	1/15	
7	XL>	ETC Source4 Zoom 15-30deg	575w	 R65, T: Geometric Breakup	(33)	1/18	
8	XL>	Source 4 36deg	575w	 R65, T: Geometric Breakup	(192)	1/17	
9	XR>	ETC Source4 Zoom 25-50deg	575w	 R02	(4)	1/19	
10	XL>	ETC Source4 Zoom 15-30deg	575w	 R65, T: Geometric Breakup	(32)	1/22	
11	XL>	ETC Source4 Zoom 25-50deg	575w	 R65, T: Geometric Breakup	(23)	1/24	
12	XR>	ETC Source4 Zoom 25-50deg	575w	 R02	(3)	1/26	
13	XR>	ETC Source4 Zoom 15-30deg	575w	 R02	(14)	1/27	
14	XL>	ETC Source4 Zoom 25-50deg	575w	 R65, T: Geometric Breakup	(22)	1/30	
15	XR>	Source 4 36deg	575w	 R02	(191)	1/31	
16	XR>	ETC Source4 Zoom 15-30deg	575w	 R02	(13)	1/41	
17	XR>	ETC Source4 Zoom 25-50deg	575w	 R02	(2)	1/35	
18	XR>	ETC Source4 Zoom 15-30deg	575w	 R02	(12)	1/42	

Catwalk Lower

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
19	XL>	ETC Source4 Zoom 25-50deg	575w	 R65, T: Geometric Breakup	(21)	1/37	
20	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(121)	1/39	
21	XR>	ETC Source4 Zoom 25-50deg	575w	 R02	(1)	1/40	

LX 4

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(183)	1/202	
2	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(186)	1/201	
3	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(182)	1/204	
4	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(185)	1/203	
5	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(181)	1/200	
6	T Back Light	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(184)	1/199	












LX 3B

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	Portal	ETC Source4 PARNel	575w	<input type="radio"/> N/C	(216)	1/174	
2	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(112)	2/133	
3	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(111)	2/121	
4	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(110)	2/109	
5	Portal	ETC Source4 PARNel	575w	<input type="radio"/> N/C	(215)	1/173	
6	Brutalist Pattern	ETC Source4 26deg+Light Acc C Clamp	575w	<input type="radio"/> N/C	(165)	1/169	














LX 3

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(109)	2/97	
2	Brutalist Pattern 2	ETC Source4 50deg+Light Acc C Clamp	575w	<input type="radio"/> N/C	(179)	1/161	
3	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(108)	2/85	
4	Brutalist Pattern 2	ETC Source4 50deg+Light Acc C Clamp	575w	<input type="radio"/> N/C	(178)	1/162	
5	LED	Chauvet DJ SlimPAR Pro H USB	99w	<input type="radio"/> LED	(107)	2/73	
6	Brutalist Pattern 2	ETC Source4 50deg+Light Acc C Clamp	575w	<input type="radio"/> N/C	(177)	1/158	
7	Brutalist Pattern	ETC Source4 26deg+Light Acc C Clamp	575w	<input type="radio"/> N/C	(164)	1/157	

LX 1

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	TMP2	ETC Source4 50deg+Light Acc C Clamp	575w	 R66	(152)	1/87	
2	TMP2	ETC Source4 50deg+Light Acc C Clamp	575w	 R66	(151)	1/85	
3	XL>	Source 4 36deg+Light Acc C Clamp	575w	 R65, T: Geometric Breakup	(37)	1/86	
4	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(106)	2/61	
5	XR>	Source 4 36deg+Light Acc C Clamp	575w	 R02	(17)	1/88	
6	Brutalist Pattern 2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(173)	1/89	
7	XL>	Source 4 36deg+Light Acc C Clamp	575w	 R65, T: Geometric Breakup	(36)	1/90	
8	TMP2	ETC Source4 50deg+Light Acc C Clamp	575w	 R66	(150)	1/96	
9	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(105)	2/49	
10	TMP1	ETC Source4 50deg+Light Acc C Clamp	575w	 R13, T: Nebulous Breakup	(132)	1/95	
11	XR>	Source 4 36deg+Light Acc C Clamp	575w	 R02	(16)	1/94	
12	XL>	ETC Source4 50deg+Light Acc C Clamp	575w	 R65, T: Geometric Breakup	(35)	1/93	
13	XR>	Source 4 36deg+Light Acc C Clamp	575w	 R02	(15)	1/92	
14	LED	Chauvet DJ SlimPAR Pro H USB	99w	 LED	(104)	2/37	
15	CYA	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/91	
16	CYA	Source 4 36deg+Light Acc C Clamp	575w	 N/C	(Cya)	1/113	
17	Brutalist Pattern 2	ETC Source4 50deg+Light Acc C Clamp	575w	 N/C	(171)	1/111	
18	Brutalist Pattern	ETC Source4 26deg+Light Acc C Clamp	575w	 N/C	(162)	1/110	
19	TMP1	ETC Source4 50deg+Light Acc C Clamp	575w	 R13, T: Nebulous Breakup	(130)	1/109	

Catwalk Upper

U#	Purpose	Instrument Type & Accessory	Load	Clr & Gbo	Chan	Addr	Dm
1	TMP2	Source 4 26deg	575w	 R66	(145)	1/10	
2	TMP2	Source 4 36deg	575w	 R66	(142)	1/9	
3	XL>	Source 4 26deg	575w	 R65, T: Geometric Breakup	(28)	1/16	
4	TMP2	Source 4 36deg	575w	 R66	(141)	1/8	
5	TMP2	Source 4 26deg	575w	 R66	(144)	1/20	
6	XR>	Source 4 26deg	575w	 R02	(8)	1/21	
7	XL>	Source 4 26deg	575w	 R65, T: Geometric Breakup	(27)	1/23	
8	XR>	Source 4 26deg	575w	 R02	(7)	1/25	
9	XL>	Source 4 26deg	575w	 R65, T: Geometric Breakup	(26)	1/28	
10	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(123)	1/29	
11	TMP1	Source 4 26deg	575w	 R13, T: Nebulous Breakup	(126)	1/32	
12	TMP1	Source 4 26deg	575w	 R13, T: Nebulous Breakup	(125)	1/33	
13	TMP1	Source 4 36deg	575w	 R13, T: Nebulous Breakup	(122)	1/34	
14	XR>	Source 4 26deg	575w	 R02	(6)	1/36	
15	TMP1	Source 4 26deg	575w	 R13, T: Nebulous Breakup	(124)	1/38	